P31 BROWN

Version Number 1.2 Revision Date 06/11/2025



Page 1 of 15 Print Date 06/12/2025

SAFETY DATA SHEET

P31 BROWN

Section 1. Identification		
GHS product identifier Chemical name CAS number Other means of identification Product type	: : : : :	P31 BROWN Mixture Mixture CC10278159 liquid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION ColorMatrix Group Inc. 680 North Rocky River Drive, Berea, Ohio, 44017-1628, USA
		+1 216 622 0100
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.

GHS label elements

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025

ÀVIENT

Page 2 of 15 Print Date 06/12/2025

Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

Not available.

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10278159

CAS number/other identifiers

Ingredient name	%	CAS number
Paraffin oils, petroleum, catalytic dewaxed light	>= 10 - <= 25	64742-71-8
Carbon black	>= 5 - <= 10	1333-86-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025



	Page 3 of 15
1/2025	Print Date 06/12/2025

Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. If material has been swallowed and the
		exposed person is conscious, give small quantities of water to drink.
		Do not induce vomiting unless directed to do so by medical personnel.
		Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	:::::::::::::::::::::::::::::::::::::::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical att	tentio	on and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known.
Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst.

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025

ÀVIENT

Page 4 of 15
Print Date 06/12/2025

Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containmen	nt aı	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025

ÀVIENT

Page 5 of 15 Print Date 06/12/2025

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Paraffin oils, petroleum, catalytic dewaxed light	ACGIH TLV (2009-11-30) TWA 5 mg/m3 Form: Inhalable fraction NIOSH REL (1994-06-01) TWA 5 mg/m3 Form: Mist STEL 10 mg/m3 Form: Mist OSHA PEL (1993-06-30) TWA 5 mg/m3
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06)

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025

ÀVIENT

Page 6 of 15 Print Date 06/12/2025

		TWA 3 mg/m3 Form: Inhalable fraction
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025

ÀVIENT

Page 7 of 15 Print Date 06/12/2025

Physical state	:	liquid [liquid]
Color	:	BROWN
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025



Page 8 of 15 Print Date 06/12/2025

Information on toxicological effects

Product/ingredient name	Result	Species		Dose	Exposure
Carbon black	•				· •
	LD50 Oral	Rat		15,400 mg/kg	-
			_		
Conclusion/Summary	: 1	Mixture.Not fully	tested.		
Irritation/Corrosion					
Conclusion/Summary					
Skin	:	Mixture.Not full	y tested.		
Eyes	:	Mixture.Not full	y tested.		
Respiratory	:	Mixture.Not full	y tested.		
Sensitization					
Conclusion/Summary					
Skin	:	Mixture.Not full	v tested.		
Respiratory		Mixture.Not full			
<u>Mutagenicity</u>					
Conclusion/Summary	:	Mixture.Not full	y tested.		
<u>Carcinogenicity</u>					
Conclusion/Summary	:	Mixture.Not full	y tested.		
Classification					
Product/ingredient name	OSHA	IARC	NTP		
Carbon black	-	2B	-		
Reproductive toxicity					
Conclusion/Summary	:	Mixture.Not full	y tested.		
Teratogenicity					
Conclusion/Summary	:	Mixture.Not full	v tested		
Conclusion/Summary	•	wirkture. Not full	y itsicu.		
Specific target organ toxicity	(single expos	<u>ure)</u>			
Not available.					
a • e• , , , • • •	(1	``			
Specific target organ toxicity	(repeated ex	posure)			

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025



Page 9 of 15 Print Date 06/12/2025

Not available.

Aspiration hazard

Name		Result	
Paraffin oils (petroleum), catalytic dewaxed light A		ASPIRATION HAZARD - Category 1	
complex combination of hydrocarbons obtained from a			
catalytic dewaxing process. It consists predominantly of			
hydrocarbons having carbon numbers p	•		
of C15 through C30 and produces a final			
viscosity of less than 100 SUS at 100.d	egree.F (19cSt at		
40.degree.C).			
Information on the likely routes of exposure	: Not availabl	e.	
Potential acute health effects			
Eye contact	: No known s	ignificant effects or critical hazards.	
Inhalation		ignificant effects or critical hazards.	
Skin contact		ignificant effects or critical hazards.	
Ingestion	: No known s	ignificant effects or critical hazards.	
Symptoms related to the physical, chemical and toxicological characteristics			
Eye contact	: No specific of	lata.	
Inhalation	: No specific data.		
Skin contact		: No specific data.	
Ingestion	: No specific data.		
Delayed and immediate effects and also chronic effects from short and long term exposure			
Short term exposure			
Potential immediate effects	: Not availabl	e	
Potential delayed effects	Not availabl		
Long term exposure			
			
Potential immediate effects	 Not available. Not available. 		
Potential delayed effects	: Not availabl	τ.	
Potential chronic health effects			
Conclusion/Summary	: Mixture.Not	fully tested.	
-		-	

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025



Page 10 of 15 Print Date 06/12/2025

General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards. No known significant
-		effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
P31 BROWN	N/A	309904.5 mg/kg	N/A	N/A	N/A
Carbon black	15400 mg/kg	N/A	N/A	N/A	N/A

Other information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

:

Toxicity

Product/ingredient name	Result	Species	Exposure		
Carbon black					
	Acute EC50 37.563 Mg/l Fresh water	Daphnia - Daphnia magna	48 h		
Conclusion/Summary Persistence and degradability	: Not available.		I		
Conclusion/Summary	: Not available.				

Bioaccumulative potential

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025

AVIENT

	Dage 11 of 15
	Page 11 of 15
1/2025	Print Date 06/12/2025

Not available.

Mobility in soil			
Soil/water partition coefficient (KOC)	:	Not available.	
Other adverse effects	:	No known significant effects or critical hazards.	

Section 13. Disposal considerations

Disposal methods	:	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
		contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
IATA	:	Not classified as dangerous goods under transport regulations.
IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed
		11/15

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025



Page 12 of 15 Print Date 06/12/2025

United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc ferrite brown spinel (C.I. Pigment Yellow 119) United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	•	Not fisieu
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

<u>SARA 311/312</u>

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025

ÀVIENT

Page 13 of 15 Print Date 06/12/2025

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Paraffin oils (petroleum),	>= 10 - <= 25	ASPIRATION HAZARD - Category 1
catalytic dewaxed light A		
complex combination of		
hydrocarbons obtained from		
a catalytic dewaxing		
process. It consists		
predominantly of		
hydrocarbons having carbon		
numbers predominantly in		
of C15 through C30 and		
produces a finished oil with		
a viscosity of less than 100		
SUS at 100.degree.F (19cSt		
at 40.degree.C).		
Carbon black	>= 5 - <= 10	CARCINOGENICITY - Category 2

SARA 313

Form R - Reporting requirements

Product name	CAS number	%
Zinc ferrite brown spinel (C.I. Pigment Yellow 119)	68187-51-9	>= 3 - < 7

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations	
Massachusetts	: The following components are listed:
	Iron oxide
	Paraffin oils, petroleum, catalytic dewaxed light
	Carbon black
	Distillates, petroleum, hydrotreated heavy paraffinic
New York	None of the components are listed.
New Jersey	: The following components are listed:
-	Iron oxide
	13/15

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025

AVIENT

Page 14 of 15 Print Date 06/12/2025

Pennsylvania :	Paraffin oils, petroleum, catalytic dewaxed light Carbon black Zinc ferrite brown spinel (C.I. Pigment Yellow 119) Distillates, petroleum, hydrotreated heavy paraffinic The following components are listed: Iron oxide
	Carbon black

Zinc ferrite brown spinel (C.I. Pigment Yellow 119)

California Prop. 65

WARNING: This product can expose you to Carbon black, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
		Japan inventory (ISHL): Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

XAVIENT

SAFETY DATA SHEET

P31 BROWN

Version Number 1.2 Revision Date 06/11/2025 Page 15 of 15 Print Date 06/12/2025

Health	/	0
Flammability		0
Physical hazards		0
<i>j =</i> j		, , , , , , , , , , , , , , , , , , ,

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>IIIStol y</u>		
Date of printing	:	06/12/2025
Date of issue/Date of revision	:	06/11/2025
Date of previous issue	:	03/31/2023
Version	:	1.2
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.