#### X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025



Page 1 of 16 Print Date 06/06/2025

# SAFETY DATA SHEET

#### X PDS 16181-01-3 Black

Section 1. Identification	n	
GHS product identifier Chemical name CAS number Other means of identification Product type		X PDS 16181-01-3 Black Mixture Mixture EM10022874 solid
<u>Relevant identified uses of the substa</u> Product use	<u>ince</u> :	or mixture and uses advised against Industrial applications.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.	
Classification of the substance or mixture	:	Not classified.	
GHS label elements			
Signal word	:	No signal word.	
Hazard statements	:	No known significant effects or critical hazards.	
1/10			

### X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025

# AVIENT

Page 2 of 16 Print Date 06/06/2025

#### **Precautionary statements**

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	EM10022874

CAS number/other identifiers

Ingredient name	%	CAS number
Talc	>= 10 - <= 25	14807-96-6
Carbon black	>= 1 - <= 3	1333-86-4
Quartz	> 0 - <= 0.3	14808-60-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

**Description of necessary first aid measures** 

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.
Inhalation	:	Get medical attention if irritation occurs. Remove victim to fresh air and keep at rest in a position comfortable

## X PDS 16181-01-3 Black

# **ÀVIENT**

Version Number 1.7	Page 3 of 16
Revision Date 06/05/2025	Print Date 06/06/2025

		for breathing. Get medical attention if symptoms occur.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, act	ute a	und delayed
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	entio	n and special treatment needed, if necessary
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.

## X PDS 16181-01-3 Black

Versi Revis

# **ÀVIENT**

sion Number 1.7	Page 4 of 16
ision Date 06/05/2025	Print Date 06/06/2025

Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.
Environmental precautions	:	See also the information in "For non-emergency personnel". Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage


:

#### Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8).

## X PDS 16181-01-3 Black



# **XAVIENT**

ersion Number 1.7	Page 5 of 16
evision Date 06/05/2025	Print Date 06/06/2025

Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities		Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.


## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits		
Talc	OSHA PEL Z3 (1997-09-03)		
	TWA 20 million particles per 1 cubic foot Form: not/asb		
	OSHA PEL Z3 (1997-09-03)		
	STEL 1 fibers per cubic centimeter Form: not/asb		
	TWA 0.1 fibers per cubic centimeter Form: con/asb		
	STEL 1 fibers per cubic centimeter Form: con/asb		
	ACGIH TLV (1996-05-18)		
	TWA 2 mg/m3 Form: Respirable fraction		
	ACGIH TLV (1998-09-01)		
	TWA 0.1 fibers per cubic centimeter Form: respirable fibers: length>		
	5 .mu.m; length / diameter ratio (aspect) <sup>3</sup> 3: 1, determined by the		
	membrane filter method at 400 - 450 x magnification (4mm objective)		
	using illumination of phase contrast.		
	NIOSH REL (1994-06-01)		
	TWA 2 mg/m3 Form: Respirable fraction		
	OSHA PEL 1989 (1989-03-01)		
	TWA 2 mg/m3 Form: Respirable dust		
	NIOSH REL (1994-06-01)		
	TWA 6 mg/m3 Form: Total		
	TWA 3 mg/m3 Form: Respirable fraction		
Carbon black	OSHA PEL 1989 (1989-03-01)		
	TWA 3.5 mg/m3		

## X PDS 16181-01-3 Black





Page 6 of 16 Print Date 06/06/2025

		OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Quartz		OSHA PEL 1989 (1989-03-01) TWA 0.1 mg/m3 (Calculated as Quartz) Form: Respirable dust OSHA PEL Z3 (1997-09-03) TWA 250 MPPCF / (%SiO2+5) Form: Respirable TWA 10 MG /M3 / (%SiO2+2) Form: Respirable OSHA PEL Z3 (1997-09-03) TWA 30 MG /M3 / (%SiO2+2) Form: Total dust NIOSH REL (1994-06-01) TWA 0.05 mg/m3 Form: Respirable dust ACGIH TLV (2005-12-09) TWA 0.025 mg/m3 Form: Respirable fraction OSHA PEL (2016-06-23) TWA 0.05 mg/m3 Form: Respirable dust
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
		6/16

## X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025



Page 7 of 1	6
Print Date 06/06/202	5

Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

#### Appearance

	solid [Pellets.]
	BLACK
	Faint odor.
	Not available.
•	r tot a tanacit.
:	Not available.
:	Lower: Not available.
	Upper: Not available.
:	Not available.
:	Not available.
:	Not available.
:	Not available.
:	insoluble in water.
	Not available.
:	not available.
	Not available.
:	
:	Not available.

## X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025

# **ÀVIENT**

Page 8 of 16 Print Date 06/06/2025

SADT Viscosity	:	Not available. <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-

**Conclusion/Summary** 

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient nameResultSpeciesScoreExposureObservation
--

## X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025

# **ÀVIENT**

#### Page 9 of 16 Print Date 06/06/2025

Talc	Skin - Mild irr	itant Hurr	an -	72 hrs	-		
Conclusion/Summary Skin Eyes Respiratory	: M	lixture.Not fully lixture.Not fully lixture.Not fully	tested.				
<b>Sensitization</b>							
Conclusion/Summary Skin Respiratory		lixture.Not fully lixture.Not fully					
<b>Mutagenicity</b>							
Conclusion/Summary	: M	lixture.Not fully	tested.				
<b>Carcinogenicity</b>							
Conclusion/Summary	Conclusion/Summary : Mixture.Not fully tested.						
<b>Classification</b>							
Product/ingredient name	OSHA	IARC	NTP				
Talc	-	132B	-				
Carbon black	-	2B	-				
Quartz (SiO2)	-	1	Known to be a hun	man carcinoge	n.		
Reproductive toxicity · Mixture.Not fully tested.   Conclusion/Summary : Mixture.Not fully tested.							
<b>Teratogenicity</b>							
<b>Conclusion/Summary</b> : Mixture.Not fully tested.							
Specific target organ toxicity Not available.	(single exposur	<u>:e)</u>					
Specific target organ toxicity	(repeated expo	sure)					

Name	Category	Route of exposure	Target organs
Quartz (SiO2)	Category 1	-	-

#### **Aspiration hazard**

Not available.

## X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025



#### Page 10 of 16 Print Date 06/06/2025

Information on the likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion Symptoms related to the physical, cl	: : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
	<u>101111</u>	
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects and a	also (	chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects		Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	-	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.

General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
<b>Developmental effects</b>	:	No known significant effects or critical hazards.
Fortility offorta		No known significant affacts or critical hazards

#### : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

**Fertility effects** 

Product/ingredient name	Oral	Dermal	Inhalation	Inhalation	Inhalation
		10/10			

### X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025

#### Page 11 of 16 Print Date 06/06/2025

			(gases)	(vapors)	(dusts and mists)
X PDS 16181-01-3 Black	15400 mg/kg	N/A	N/A	N/A	N/A
Carbon black	15400 mg/kg	N/A	N/A	N/A	N/A

#### **Other information**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## Section 12. Ecological information

:

#### **Toxicity**

Product/ingredient name	Result		Species	Exposure
Carbon black				
	Acute EC water	50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
X PDS 16181-01-3 Black				
Remarks - Acute - Aquatic invertebrates.:	Chemical	s are not readily availabl	e as they are bound within the po	olymer matrix.
Conclusion/Summary	:	Chemicals are not read polymer matrix.	ily available as they are bound w	vithin the
Persistence and degradability				
Conclusion/Summary	:	Chemicals are not read polymer matrix.	lily available as they are bound w	vithin the
Conclusion/Summary	:	Chemicals are not read polymer matrix.	lily available as they are bound v	within the
Bioaccumulative potential Not available.				
<u>Mobility in soil</u>				
Soil/water partition coefficien	nt :	Not available.		
		11/16		



#### X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025

# AVIENT

Page 12 of 16 Print Date 06/06/2025

#### (KOC)

Other adverse effects

No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.
International Air ICAO/IATA	: Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	: Not classified as dangerous goods under transport regulations.

## Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None
	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed

## X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025

# **ÀVIENT**

Page 13 of 16
Print Date 06/06/2025

		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		<b>United States - TSCA 8(a) - Preliminary assessment report</b> (PAIR): Not listed
		<b>United States - TSCA 8(c) - Significant adverse reaction (SAR):</b> Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc stearate
		United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed
		United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed
		<b>United States - Department of commerce - Precursor chemical:</b> Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

: Not applicable.

### X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025



Page 14 of 16 Print Date 06/06/2025

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Talc	>= 10 - <= 25	CARCINOGENICITY - Category 2
Carbon black	>= 1 - <= 3	CARCINOGENICITY - Category 2
Quartz (SiO2)	> 0 - <= 0.3	CARCINOGENICITY - inhalation - Category 1A SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 1

Not applicable.

State regulations	
Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: Talc Carbon black
Pennsylvania	Quartz The following components are listed: Talc
	Carbon black
	Quartz

#### California Prop. 65

**WARNING:** This product can expose you to chemicals including Talc, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Talc	-	-
Carbon black	-	-
Quartz	-	-

<b>United States inventory (TSCA 8b)</b>	:	All components are active or exempted.
--	---	--

:

**Canada inventory** 

All components are listed or exempted.

## X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025



Page 15 of 16 Print Date 06/06/2025

International regulations		
Inventory list		
Australia	:	
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	· ·
Japan	:	
•		Japan inventory (ISHL): Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan	:	Not determined.Not determined.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

THStory		
Date of printing	:	06/06/2025
Date of issue/Date of revision	:	06/05/2025
Date of previous issue	:	01/24/2025
Version	:	1.7
Key to abbreviations	:	ATE = Acute Toxicity Estimate
·		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		45/40

## X PDS 16181-01-3 Black

Version Number 1.7 Revision Date 06/05/2025



Page 16 of 16 Print Date 06/06/2025

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.