### STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022



Page 1 of 16 Print Date 01/28/2022

# SAFETY DATA SHEET

#### **STAN-TONE HCC-107804 RED**

Section 1. Identificatio	n	
GHS product identifier Chemical name CAS number Other means of identification Product type	:::::::::::::::::::::::::::::::::::::::	STAN-TONE HCC-107804 RED Mixture Mixture FO20048860 liquid
<u>Relevant identified uses of the subst</u> Product use	ance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION 1675 Navarre Road SW, Massillon, Ohio USA 44646
		1 330 837 8679
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	CARCINOGENICITY - Category 2
GHS label elements		

## STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022



Page 2 of 16 Print Date 01/28/2022

Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	Suspected of causing cancer.
Precautionary statements		
Prevention	:	Not applicable. Obtain special instructions before use. Wear protective gloves. Wear protective clothing. Wear eye or face protection.
Response	:	IF exposed or concerned: Get medical advice or attention.
Storage	:	Not applicable.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known. Not available.

# Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20048860

CAS number/other identifiers

Ingredient name	%	CAS number
Poly(oxy-1,2-ethanediyl), .alpha(9Z)-9-octadecen-1-ylomega	>= 1 - <= 3	Not available.
hydroxy-		
Ethyl benzene	> 0 - <= 0.3	100-41-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

## STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022

# **ÀVIENT**

#### Page 3 of 16 Print Date 01/28/2022

Des	cription	of neo	ressarv	first	aid	measures
DUS	cription	or neg	ccosary	mst	aiu	measures


Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
In costion		
Ingestion Dver-exposure signs/symp	: <u>otoms</u>	No known significant effects or critical hazards.
Over-exposure signs/symp	: o <u>toms</u> :	No known significant effects or critical hazards. No specific data.
Over-exposure signs/symp Eye contact	: otoms :	No specific data.
Over-exposure signs/symp	: <u>otoms</u> : :	

## STAN-TONE HCC-107804 RED





Page 4 of 16 Print Date 01/28/2022

Ingestion	:	No specific data.
Indication of immediate medical	attentio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# **Section 5. Fire-fighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $CO_2$ . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is
-----------------------------	--



## STAN-TONE HCC-107804 RED

Version Number	er 1.0
<b>Revision Date</b>	01/25/2022

#### Page 5 of 16 Print Date 01/28/2022

For emergency responders	:	inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containme	nt a	nd cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See

#### STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022



Page 6 of 16 Print Date 01/28/2022

also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Poly(oxy-1,2-ethanediyl), .alpha(9Z)-9- octadecen-1-ylomegahydroxy-	None.
Ethyl benzene	OSHA PEL 1989 (1989-03-01) TWA 435 mg/m3 100 ppm STEL 545 mg/m3 125 ppm OSHA PEL (1993-06-30) TWA 435 mg/m3 100 ppm

Appropriate engineering controls Environmental exposure controls <u>Individual protection measures</u>	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated
		6/16

## STAN-TONE HCC-107804 RED



Version Number 1.0 Revision Date 01/25/2022

#### Page 7 of 16 Print Date 01/28/2022

Eye/face protection Skin protection	:	clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be
		noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	liquid [Paste.]
Color	:	RED
Odor	:	Not available.
Odor threshold	:	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
<b>Evaporation rate</b>	:	Not available.

7/16

## STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022



Page 8 of 16 Print Date 01/28/2022

Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
		Demonster Met erstlahle
Viscosity	:	Dynamic: Not available.
Viscosity	:	<b>Kinematic:</b> Not available.
Viscosity	:	•
Aerosol product	:	•
·	:	•
<u>Aerosol product</u> Heat of combustion	:	<b>Kinematic:</b> Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance	:	<b>Kinematic:</b> Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time	:	<b>Kinematic:</b> Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent	:	<b>Kinematic:</b> Not available. Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	<b>Kinematic:</b> Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition - Deflagration density	:	<b>Kinematic:</b> Not available. Not available. Not available. Not available. Not available.
<u>Aerosol product</u> Heat of combustion Ignition distance Enclosed space ignition - Time equivalent Enclosed space ignition -	:	<b>Kinematic:</b> Not available. Not available. Not available. Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

#### Information on toxicological effects

## STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022



Page 9 of 16 Print Date 01/28/2022

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure				
Poly(oxy-1,2-ethanediyl), .alpha	Poly(oxy-1,2-ethanediyl), .alpha(9Z)-9-octadecen-1-ylomegahydroxy-							
	LD50 Oral	Rat	2,700 mg/kg	-				
Benzene, ethyl-								
	LD50 Oral	Rat	3,500 mg/kg	-				
	LD50 Dermal	Rabbit	5,000 mg/kg	-				

Conclusion/Summary

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Poly(oxy-1,2-ethanediyl), .alpha(9Z)-9-octadecen-1- ylomegahydroxy-	Skin - Moderate irritant	Rabbit	-	24 hrs	-
	Eyes - Moderate irritant	Rabbit	-		-
Benzene, ethyl-	Skin - Mild irritant	Rabbit	-	24 hrs	-
	Eyes - Severe irritant	Rabbit	-		-

Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Eyes	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
<u>Sensitization</u>		
Conclusion/Summary		
Skin	:	Mixture.Not fully tested.
Respiratory	:	Mixture.Not fully tested.
<u>Mutagenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
<b>Carcinogenicity</b>		
Conclusion/Summary	:	Mixture.Not fully tested.
<b><u>Classification</u></b>		

Product/ingredient name	OSHA	IARC	NTP
Benzene, ethyl-	-	2B	-

# **ÀVIENT**

## STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022

Page 10 of 16
Print Date 01/28/2022

<b><u>Reproductive toxicity</u></b>				
Conclusion/Summary	:	Mixture.Not f	fully tested.	
<u>Teratogenicity</u>				
Conclusion/Summary	:	Mixture.Not f	fully tested.	
Specific target organ toxicity (single	e expo	osure)		
Not available.				
Specific target organ toxicity (repea Not available.	<u>ted e</u>	xposure)		
Aspiration hazard				
Name			Result	
Benzene, ethyl-			ASPIRATION HAZARD - Category 1	
Information on the likely routes of	:	Not available.		
exposure				
Potential acute health effects				
Eye contact	:	No known sig	mificant effects or critical hazards.	
Inhalation	:		mificant effects or critical hazards.	
Skin contact	:	: No known significant effects or critical hazards.		
Ingestion	:	No known sig	nificant effects or critical hazards.	
Symptoms related to the physical, cl	hemi	cal and toxicol	ogical characteristics	
Eye contact	:	No specific da	ita.	
Inhalation	:	No specific da		
Skin contact	:	No specific da		
Ingestion	:	No specific da	nta.	
Delayed and immediate effects and a	also o	chronic effects	from short and long term exposure	
Short term exposure				
Short term exposure				
Potential immediate effects	:	Not available.		
Potential delayed effects	:	Not available.		
Long term exposure				
Potential immediate effects	:	Not available.		
	•		(16	

## STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022



Page 11 of 16 Print Date 01/28/2022

Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity	:	No known significant effects or critical hazards. Suspected of causing cancer. Risk of cancer depends on duration and
Mutagenicity Teratogenicity	:	level of exposure. No known significant effects or critical hazards. No known significant effects or critical hazards.
Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.

Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and mists)
STAN-TONE HCC-107804 RED	180,000 mg/kg	N/A	N/A	N/A	N/A
Poly(oxy-1,2-ethanediyl), .alpha(9Z)-9-octadecen-1-yl- .omegahydroxy-	2,700 mg/kg	N/A	N/A	N/A	N/A
Benzene, ethyl-	3,500 mg/kg	5,000 mg/kg	N/A	N/A	N/A

#### **Other information**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

# Section 12. Ecological information

:

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Benzene, ethyl-			
	Acute LC50 4.2 Mg/l Fresh	Fish - Oncorhynchus mykiss	96 h
	water		

#### STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022

# **ÀVIENT**

#### Page 12 of 16 Print Date 01/28/2022

Acute EC50 6.53 Mg/l Marine water	Crustaceans - Artemia sp.	48 h
Acute EC50 2.93 Mg/l Fresh water	Daphnia - Daphnia magna	48 h
Acute EC50 4.9 Mg/l Marine water	Algae - Skeletonema costatum	72 h
Acute EC50 7.7 Mg/l Marine water	Algae - Skeletonema costatum	96 h

Conclusion/Summary

: Not available.

Persistence and degradability

**Conclusion/Summary** 

Not available.

•

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Benzene, ethyl-	3.6	-	low

#### **Mobility in soil**

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

## STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022 **ÀVIENT** 

Page 13 of 16 Print Date 01/28/2022

and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## **Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water	: Not regulated for transportation.	
International Air ICAO/IATA	: Consult mode specific transport rules	
International Water IMO/IMDG	: Consult mode specific transport rules	

# Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Listed Poly(dimethylsiloxane)
		United States - TSCA 8(c) - Significant adverse reaction (SAR):
		Not listed
		United States - TSCA 8(d) - Health and safety studies: Not listed
		United States - EPA Clean water act (CWA) section 307 - Priority
		pollutants: Listed Ethyl benzene
		10/10

## STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022



Page 14 of 16 Print Date 01/28/2022

Benzene, methyl-Benzene

United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor	:	Not listed
Chemicals) DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

not applicable

#### SARA 311/312

Classification

CARCINOGENICITY - Category 2

#### **Composition/information on ingredients**

Name	%	Classification
Poly(oxy-1,2-ethanediyl),	>= 1 - <= 3	SKIN IRRITATION - Category 2
.alpha(9Z)-9-octadecen-1- ylomegahydroxy-		EYE IRRITATION - Category 2A
Benzene, ethyl-	$> 0 - \le 0.3$	FLAMMABLE LIQUIDS - Category 3
Benzene, eury	> 0 <= 0.5	EYE IRRITATION - Category 2A
		CARCINOGENICITY - Category 2
		ASPIRATION HAZARD - Category 1

#### Form R - Reporting requirements

Product name	CAS number	%
14/16		

## STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022

# **ÀVIENT**

Page 15 of 16 Print Date 01/28/2022

Ethyl benzene	100-41-4	> 0 - <= 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Ethyl benzene
New Jersey	:	The following components are listed: Ethyl benzene
Pennsylvania	:	The following components are listed: Ethyl benzene

California Prop. 65

**WARNING:** This product can expose you to Ethyl benzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Ethyl benzene	Yes.	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	Not determined.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

## STAN-TONE HCC-107804 RED

Version Number 1.0 Revision Date 01/25/2022 Page 16 of 16 Print Date 01/28/2022

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<u>1115t01 y</u>		
Date of printing	:	01/28/2022
Date of issue/Date of revision	:	01/25/2022
Date of previous issue	:	00/00/0000
Version	:	1.0
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

